

List of Appendices

Appendix A.	Location of the point-count sampling points and owl survey stations at Allegheny Portage Railroad National Historic Site	61
Appendix B.	Location of the point-count sampling points and vehicular-road survey stations at Eisenhower National Historic Site	63
Appendix C.	Location of the point-count sampling points at Gettysburg National Military Park	65
Appendix D.	Location of the point-count sampling points and vehicular-road survey stations at Hopewell Furnace National Historic Site	67
Appendix E.	Location of the point-count sampling points and the vehicular-road survey stations at Johnstown Flood National Memorial	69
Appendix F.	Location of the point-count sampling points and vehicular-road survey stations at Valley Forge National Historical Park	71
Appendix G.	Habitat information and geographic coordinates for the point-count sampling points and owl survey stations at Allegheny Portage Railroad National Historic Site. Definitions of habitat information are found in Table 1. Coordinates are universal transverse mercator (UTM) projection Zone 17N projected on the North American Datum (NAD) of 1983	73
Appendix H.	Habitat information and geographic coordinates for the point-count sampling points and vehicular-road, diurnal raptor and vulture, owl, and loggerhead shrike survey stations at Eisenhower National Historic Site. Definitions of habitat information are found in Table 1. Coordinates are universal transverse mercator (UTM) projection Zone 18N projected on the North American Datum (NAD) of 1983	75

List of Appendices (continued)

Appendix I.	Habitat information and geographic coordinates for the point-count sampling points and vehicular-road, diurnal raptor and vulture, and owl survey stations at Gettysburg National Military Park. Definitions of habitat information are found in Table 1. Coordinates are universal transverse mercator (UTM) projection Zone 18N projected on the North American Datum (NAD) of 1983	77
Appendix J.	Habitat information and geographic coordinates for the point-count sampling points and vehicular-road, diurnal raptor and vulture, and owl survey stations at Hopewell Furnace National Historic Site. Definitions of habitat information are found in Table 1. Coordinates are universal transverse mercator (UTM) projection Zone 18N projected on the North American Datum (NAD) of 1983	83
Appendix K.	Habitat information and geographic coordinates for the point-count sampling points and vehicular-road, diurnal raptor and vulture, owl, and riparian bird survey stations at Johnstown Flood National Memorial. Definitions of habitat information are found in Table 1. Coordinates are universal transverse mercator (UTM) projection Zone 17N projected on the North American Datum (NAD) of 1983	85
Appendix L.	Habitat information and geographic coordinates for the point-count sampling points and vehicular-road, diurnal raptor and vulture, owl, and riparian bird survey stations at Valley Forge National Historical Park. Definitions of habitat information are found in Table 1. Coordinates are universal transverse mercator (UTM) projection Zone 18N projected on the North American Datum (NAD) of 1983	87
Appendix M.	Location of the vehicular-road survey stations at Gettysburg National Military Park	93
Appendix N.	Location of the diurnal raptor and vulture, owl, and loggerhead shrike survey stations at Eisenhower National Historic Site	95
Appendix O.	Location of the diurnal raptor and vulture and owl survey stations at Gettysburg National Military Park	97

List of Appendices (continued)

Appendix P.	Location of the diurnal raptor and vulture and owl survey stations at Hopewell Furnace National Historic Site	99
Appendix Q.	Location of the diurnal raptor and vulture, owl, and riparian bird surveys at Johnstown Flood National Memorial.....	101
Appendix R.	Location of the diurnal raptor and vulture, owl, and riparian bird survey stations at Valley Forge National Historical Park	103
Appendix S.	Bird species noted (indicated by an “X”) from historical records versus species detected from May 1999 - May 2001 at Allegheny Portage Railroad National Historic Site	105
Appendix T.	Classifications of the relative abundance of bird species identified during spring-migratory (15 April - 25 May), breeding (25 May - 15 July), fall-migratory (25 August - 10 October), and winter seasons (1 December - 15 March), May 1999 - May 2001 at Allegheny Portage Railroad National Historic Site	111
Appendix U.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest cover type during spring-migratory seasons (15 April - 25 May, 2000 and 2001) at Allegheny Portage Railroad National Historic Site	117
Appendix V.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest cover type during breeding seasons (25 May - 15 July, 1999 and 2000) at Allegheny Portage Railroad National Historic Site	119
Appendix W.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest cover type during fall-migratory seasons (25 August - 10 October, 1999 and 2000) at Allegheny Portage Railroad National Historic Site	121

List of Appendices (continued)

Appendix X.	Relative abundance (average number/point/survey) of the most common short-distance migrant and permanent resident species identified from point-count sampling points in forest cover type during winter seasons (1 December - 15 March, 1999-00 and 2000-01) at Allegheny Portage Railroad National Historic Site	123
Appendix Y.	Classifications of the relative abundance of bird species identified during spring-migratory (15 April - 25 May), breeding (25 May - 15 July), fall-migratory (25 August - 10 October), and winter seasons (1 December - 15 March), May 1999 - May 2001 at Eisenhower National Historic Site	125
Appendix Z.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points during spring-migratory seasons (15 April - 25 May, 2000 and 2001) at Eisenhower National Historic Site	131
Appendix AA.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points during breeding seasons (25 May - 15 July, 1999 and 2000) at Eisenhower National Historic Site	133
Appendix AB.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points during fall-migratory seasons (25 August - 10 October, 1999 and 2000) at Eisenhower National Historic Site	135
Appendix AC.	Relative abundance (average number/point/survey) of the most common short-distance migrant and permanent resident species identified from point-count sampling points during winter seasons (1 December - 15 March, 1999-00 and 2000-01) at Eisenhower National Historic Site	137
Appendix AD.	Bird species noted (indicated by an "X") from historical records versus species detected from May 1999 - May 2001 at Gettysburg National Military Park	139

List of Appendices (continued)

Appendix AE.	Classification of the relative abundance of bird species identified during spring-migratory (15 April - 25 May), breeding (25 May - 15 July), fall-migratory (25 August - 10 October), and winter seasons (1 December - 15 March), May 1999 - May 2001 at Gettysburg National Military Park	147
Appendix AF.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during spring-migratory seasons (15 April - 25 May, 2000 and 2001) at Gettysburg National Military Park	155
Appendix AG.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during breeding seasons (25 May - 15 July, 1999 and 2000) at Gettysburg National Military Park	157
Appendix AH.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during fall-migratory seasons (25 August - 10 October, 1999 and 2000) at Gettysburg National Military Park	159
Appendix AI.	Relative abundance (average number/point/survey) of the most common short-distance migrant and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during winter seasons (1 December - 15 March, 1999-00 and 2000-01) at Gettysburg National Military Park	161
Appendix AJ.	Bird species noted (indicated by an "X") from historical records versus species detected from May 1999 - May 2001 at Hopewell Furnace National Historic Site	163

List of Appendices (continued)

Appendix AK.	Classifications of the relative abundance of bird species identified during spring-migratory (15 April - 25 May), breeding (25 May - 15 July), fall-migratory (25 August - 10 October), and winter seasons (1 December - 15 March), May 1999 - May 2001 at Hopewell Furnace National Historic Site	173
Appendix AL.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest cover type during spring-migratory seasons (15 April - 25 May, 2000 and 2001) at Hopewell Furnace National Historic Site	179
Appendix AM.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest cover type during breeding seasons (25 May - 15 July, 1999 and 2000) at Hopewell Furnace National Historic Site	181
Appendix AN.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest cover type during fall-migratory seasons (25 August - 10 October, 1999 and 2000) at Hopewell Furnace National Historic Site	183
Appendix AO.	Relative abundance (average number/point/survey) of the most common short-distance migrant and permanent resident species identified from point-count sampling points in forest cover type during winter seasons (1 December - 15 March, 1999-00 and 2000-01) at Hopewell Furnace National Historic Site	185
Appendix AP.	Bird species noted (indicated by an “X”) from historical records versus species detected from May 1999 - May 2001 at Johnstown Flood National Memorial	187
Appendix AQ.	Classifications of the relative abundance of bird species identified during spring-migratory (15 April - 25 May), breeding (25 May - 15 July), fall-migratory (25 August - 10 October), and winter seasons (1 December - 15 March), May 1999 - May 2001 at Johnstown Flood National Memorial	193

List of Appendices (continued)

Appendix AR.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points during spring-migratory seasons (15 April - 25 May, 2000 and 2001) at Johnstown Flood National Memorial	199
Appendix AS.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points during breeding seasons (25 May - 15 July, 1999 and 2000) at Johnstown Flood National Memorial	201
Appendix AT.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points during fall-migratory seasons (25 August - 10 October, 1999 and 2000) at Johnstown Flood National Memorial	203
Appendix AU.	Relative abundance (average number/point/survey) of the most common short-distance migrant and permanent-resident species identified from point-count sampling points during winter seasons (1 December - 15 March, 1999-00 and 2000-01) at Johnstown Flood National Memorial	205
Appendix AV.	Bird species noted (indicated by an "X") from historical records versus species detected from May 1999 - May 2001 at Valley Forge National Historical Park	207
Appendix AW.	Classifications of the relative abundance of bird species identified during spring-migratory (15 April - 25 May), breeding (25 May - 15 July), fall-migratory (25 August - 10 October), and winter seasons (1 December - 15 March), May 1999 - May 2001 at Valley Forge National Historical Park	217

List of Appendices (continued)

Appendix AX.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during spring-migratory seasons (15 April - 25 May, 2000 and 2001) at Valley Forge National Historical Park	225
Appendix AY.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during breeding seasons (25 May - 15 July, 1999 and 2000) at Valley Forge National Historical Park	227
Appendix AZ.	Relative abundance (average number/point/survey) of the most common long-distance migrant, short-distance migrant, and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during fall-migratory seasons (25 August - 10 October, 1999 and 2000) at Valley Forge National Historical Park	229
Appendix BA.	Relative abundance (average number/point/survey) of the most common short-distance migrant and permanent-resident species identified from point-count sampling points in forest and herbaceous cover types during winter seasons (1 December - 15 March, 1999-00 and 2000-01) at Valley Forge National Historical Park	231

Click on the appropriate document to open it:

[Text of the Report](#)

[Appendices A – L](#)

[Appendices M – AC](#)

[Appendices AD – AO](#)

[Appendices AP - BA](#)